

SERVICE HOTLINE
40008 40008



CONTACT US

 sales@beilite.com |  www.beilite.com

 ZHEJIANG • CHINA XINHE
INDUSTRIAL PARK, WENLING

BEILITE MACHINERY CO., LTD.



BEILITE
HYDRAULIC
BREAKER



QUALITY CHANGES THE FUTURE

COMPANY INTRODUCTION

Founded in 2002, BEILITE Machinery Co., Ltd. has been guided by its development philosophy of "Quality Changes the Future", and focusing on the R&D, production and service of high-end hydraulic breakers.

As a Chinese National High-Tech Enterprise, BEILITE works to implement China's national manufacturing power strategy, and drives its rapid development with continuous innovation capabilities. Breaking through key hydraulic breaker manufacturing technologies, BEILITE successfully developed the first Chinese heavy-duty hydraulic breaker and first underwater hydraulic breaker. BEILITE holds hundreds of international leading technology patents, being certified through the three systems of quality, environment, occupational health, as well as the EU CE safety certification. In 2015, BEILITE participated in the drafting and formulation of the "National Standard for Hydraulic Breakers" within China, GB/T32799-2016.

BEILITE has BLT and BLTB independent brands, presenting Sound Suppressed Range, Top Mounted Range, Side Mounted Range, Backhoe Loader Breaker Range, Skid Steer Loader Breaker Range, and models ranging from BLT-40 to BLT-280, which can meet the demand of excavators and loaders of different tonnages. BEILITE is well-known for its advantages, strong impact power, steady working performance, long service life, low maintenance cost and high residual value, The products are suitable for various

applications like mining, demolition, tunnels, underwater, high-altitude, high temperature, extreme cold weather working site, ect.

As the first Chinese hydraulic breaker brand with independent intellectual property rights entering in Europe market, BLT, BLTB hydraulic breaker have been exported to Europe, America, Australia, Asia, Africa, covering more than a hundred countries and regions such as the United States, Germany, the United Kingdom, Russia, Japan, and India. Adhering to the service philosophy of "quality first, service first", consistently being guided by our customers' needs, BEILITE has built a complete and mature service network throughout China, and has been continuously upgrading overseas service outlets, increasing service staff, BEILITE is capable of providing customers with one-stop service solution, including pre-sales, in sales, and after-sales service around the clock.

BEILITE firmly believes in the spirit of hardwork and Integrity shapes character and always adheres to the mission of creating maximum value for customers. We will continue to deepen our expertise in the hydraulic breaker industry, strengthen independent innovation capabilities, better lead industry development, accelerate global layout. With high quality products, excellent service, and global reputation for made-in-China hydraulic breaker, BEILITE is striving to become a worldwide trustworthy and international competitive enterprise.






INDUSTRY
SOLUTIONS











HYDRAULIC BREAKER PRODUCTS SERIES





SIX MAJOR SUPERIORITY





- STRONG IMPACT POWER
- STEADY WORKING PERFORMANCE
- LONG SERVICE LIFE
- LOW MAINTENANCE COST
- COMPREHENSIVE SERVICE SYSTEM
- HIGH RESIDUAL VALUE














length

mm

3363mm

KG

5240kg

Chisel Dia.

Work Flow

Relief Pressure

Work Pressure

Back N. Pressure

Acc. N. Pressure

Impact Rate

Hose Dia.

Chisel Length

190 mm

240~290 l/min

300 bar

250~270 bar

27~30 bar

65~70 bar

100~140 bpm

1½ inch


1600 mm

100cm

(scale)

45~55t





length

mm

3383mm

KG

5520kg

Chisel Dia.

Work Flow

Relief Pressure

Work Pressure

Back N. Pressure

Acc. N. Pressure

Impact Rate

Hose Dia.

Chisel Length

200 mm

280~330 l/min

330 bar

280~300 bar

27~30 bar

65~70 bar

100~130 bpm

1½ inch


1620 mm

100cm

(scale)

50~65t





length

mm

3363mm

KG

5360kg

Chisel Dia.

Work Flow

Relief Pressure

Work Pressure

Back N. Pressure

Acc. N. Pressure

Impact Rate

Hose Dia.

Chisel Length

195 mm

260~310 l/min

310 bar

260~280 bar

30~33 bar

65~70 bar

100~140 bpm

1½ inch


1600 mm

100cm

(scale)

50~60t





length

mm

3846mm

KG

6750kg

Chisel Dia.

Work Flow

Relief Pressure

Work Pressure

Back N. Pressure

Acc. N. Pressure

Impact Rate

Hose Dia.

Chisel Length

205 mm

320~380 l/min

330 bar

280~300 bar

32~35 bar

75~80 bar

100~130 bpm

1½ inch





1750 mm





100cm

(scale)

55~65t







INTELLIGENT MANUFACTURING METAL WORKSHOP



INTELLIGENT MANUFACTURING HEAT TREATMENT WORKSHOP



INTELLIGENT MANUFACTURING GRINDING WORKSHOP



INTELLIGENT MANUFACTURING TESTING WORKSHOP



CONSTRUCTION CASE



CONSTRUCTION CASE



ADDITIONAL
APPLICATION CASE



Cold Weather Operation



Underwater Operation

ADDITIONAL
APPLICATION CASE



Tunnel Operation



High Temperature Operation

SERVICE NETWORK
DISTRIBUTION



SERVICE OUTLETS
AROUND THE WORLD



Service Network Spreads Over China, and Coverage Whole Global.
Customer Can Enjoy The Beilite's Convenient Service Anytime And Anywhere

23 / PROVINCE **5** / AUTONOMOUS REGION **4** / MUNICIPALITIES **2** / SPECIAL ADMINISTRATIVE REGIONS
More than 100 countries and regions Expand overseas: Europe, America, Australia, Africa, Southeast Asia, etc.

BELLITE

VISION

Become A Worldwide Trustworthy
And International Competitive Enterprise.

